

DS-K1T808EFWX-B Pro Fingerprint Terminals



Fingerprint access control terminal supports multiple authentication modes: card/fingerprint/PIN authentication, etc. It can be applied in multiple scenarios, such as buildings, enterprises, financial industries, and other important areas.

- 2.4-inch LCD screen
- Multiple authentication methods, including fingerprint, card (EM card), and PIN, etc.
- Max. 3000 cards, 3000 fingerprints and 100,000 events
- Supports ISAPI and ISUP 5.0 protocols
- Configuration via the PC web client and mobile web client
- Supports wired network and Wi-Fi (AP mode)
- Supports wiring with secure door control unit or card reader via RS-485
- Supports power supply by battery in the bracket
- Supports access control and local time and attendance function



•


Specification

Operating system Linux Display	
Display	
Screen size 2.4 inch	
Type LCD	
Resolution 320 × 240	
Audio	
Audio output Built-in buzzer	
Network	
Wired network Support	
Wi-Fi Support, 2.4 G, 80	2.11b/g/n
Interface	
Network interface 1 RJ-45, 10/100 M	self-adaptive
Lock control 1	
Exit button 1	
Door contact input 1	
TAMPER 1	
RS-485 1 RS-485 (Half dup	lex, HIKVISION)
Wiegand 1 Wiegand (W26, W	W34)
USB 1	
Capacity	
Fingerprint capacity 3000	
Card capacity 3000	
Event capacity 100,000	
Authentication	
Card type EM card	
Fingerprint module Optical fingerprint	module
Fingerprint comparing mode 1:1 and 1:N	
General	
12 VDC	
Power supply Supports power su	upply by battery in the bracket
Power consumption $\leq 6 \text{ W}$	
Working temperature -10 °C to 55 °C (14	°F to 131 °F)
Working humidity 0 to 90% (No cond	lensing)
English, Spanish (S	outh America), Arabic, Thai, Indonesian, Russian, Vietnamese,
Language Portuguese (Brazil), Korean, Japanese
Keypad Support	

Available Model

DS-K1T808EFWX-B











Headquarters No.555 Qianmo Road, Binjiang District, Hangzhou 310051, China T +86-571-8807-5998 www.hikvision.com

Follow us on social media to get the latest product and solution information.















© Hangzhou Hikvision Digital Technology Co., Ltd. Unless otherwise agreed, Hikvision makes no warranties, express or implied. We reserve the right to introduce modifications without notice.